

Ice Makers

IceDrink Clear, IceDrink Clear WT

Serving cool drinks on board is great. Indel Webasto Marine now provides boat owners with the perfect solutions to produce fresh ice on board. What's more, by offering different models with different technologies, customers can choose between clear ice and white ice.

The White ice makers, thanks to the combination of the refrigerated cabinet which maintains frozen ice cubes and the exclusive designed condensing ventilation, are ideal for installations in hot climate conditions.

The Clear Ice Maker, thanks to the exclusive Spray technology is capable to produce a large amount of ice cubes up to 18 kg per day. It has the best production capacity ratio of the market, providing high quality ice cubes, compact & crystalline ideal for your cocktail and drinks. It is available as option with an integrated water tank (WT) for the direct supply of mineral water.



Convincing facts for the Isotherm IceDrink Clear:

- Complete stainless steel design
- Production capacity of 18 kg per day
- Spray technology for clear ice
- Available both in 115 V 60 Hz and 230 V 50 or 60 Hz
- Quality cubes: compact, cold and crystalline that drop into the collection bin, (not refrigerated), meeting the ice requirements even at peak demand times
- Front to rear ventilation
- Three sides flange option for critical space installations

Convincing facts for the Isotherm IceDrink Clear WT:

- Integrated water tank, for the supply of mineral water
- Same external dimensions of the standard Clear Ice version
- Easy to refill, simply by opening the front lid pouring water in the dedicated container



Ice Makers

IceMaker White, IceMaker White WT,
IceMaker White Low Profile



Convincing facts for the Isotherm IceMaker White:

- Available in stainless steel or with white door
- Production capacity of 8 kg per day
- Reliable white ice technology
- Various customization possibilities for different installations just like with the CRUISE classic fridges and freezers
- Front ventilation only
- Refrigerated collection bin to keep the ice cubes frozen

Convincing facts of the Isotherm White Ice WT:

- Stainless Steel door in Inox Clean Touch, anti-finger print treated
- Up to 4,6kgs day of ice cubes production
- Removable water tank, easy to clean and refill
- Genuine AC/DC solution, capable to either produce ice and maintain in both operating conditions
- Automatic low power setting mode in DC
- External led indicator of empty water tank



NEW



Convincing facts for the Isotherm IceMaker White Low Profile:

- Rear position compressor for a low height profile Ice Maker
- Reliable performing technology, ice production 8 kg per day
- Refrigerated cabinet to store and maintain frozen ice cubes
- High quality stainless steel for outer cockpit applications
- Refined flush installation thanks to a flush 3 sides mounting frame with the 4th one as option
- Exclusive designed condensing forced ventilation to grant maximum performances in hot conditions
- Extra compact dimensions in height
- Ideal for installation in critical areas where the height is limited

Ice Makers

IceMaker White BI29

Convincing facts for the Isotherm

IceMaker White BI29:

- Sturdy built in design casing
- Refrigerated cabinet to store and maintain frozen ice cubes
- Stainless steel inner-lining and plastic bottom section
- Ice-production capacity of 4 kg per day
- Extra low profile, to easily fit in cockpit applications or below seats
- Equipped with extra-long roller slides, to use the box as a drawer



Product Overview: Isotherm IceDrink Ice Makers

Type	Gross volume (l)	Dimensions W x H x D (mm)	Weight (kg)	Power consumption (Watt)	Power Supply (Volt /Hz)
IceDrink Clear	4	354 x 590 x 407	29	320	230 V AC - 50Hz or 115 V AC - 60 Hz
IceDrink Clear WT	4	354 x 590 x 407	29	320	230 V AC - 50Hz or 115 V AC - 60 Hz
IceMaker White, White Door	12	355 x 630 x 420*	26	180	230 V AC - 50 Hz
IceMaker White WT	12	375 x 630 x 600**	30	200	DC/AC 12V or 24V 230 V - 50 Hz or 115 V - 60 Hz
IceMaker White Inox	12	375 x 630 x 460**	27	180	230 V AC - 50 Hz
IceMaker White Low Profile	12	370 x 475 x 630	26	180	230 V AC - 50Hz or 115 V AC - 60 Hz
IceMaker White BI29	14	363 x 375 x 730	26	180	230 V AC - 50Hz or 115 V AC - 60 Hz

* Door thickness (to be added): 440 mm ** Width IceMaker White Inox frame 20 mm per side

TYPE	ORDER NUMBER	DESCRIPTION
IceDrink Clear	5S21A11A0N000	ICE DRINK CLEAR 230V/50HZ
	5S21A14A0N000	ICE DRINK CLEAR 115V/60HZ
IceDrink Clear WT	5S18A11A0T000	ICE DRINK CLEAR WT 230V/50HZ
	5S18A14A0T000	ICE DRINK CLEAR WT 115V/60HZ
Ice Maker White Ice	5W08A21CGN000	ICE MAKER WHITE WHITE DOOR 230V/50Hz
	5W08A24CEN001	ICE MAKER WHITE WHITE DOOR 115V/60Hz
	5W08A11IMN000	ICE MAKER WHITE INOX 230V/50Hz
	5W08A14IMN000	ICE MAKER WHITE INOX 115V/60Hz
	5W08L11IMN000	ICE MAKER WHITE LOW PROFILE INOX 230V/50Hz
	5W08L14IMN000	ICE MAKER WHITE LOW PROFILE INOX 115V/60Hz
Ice Maker White Ice WT	5W08A11IMT000	ICE MAKER WHITE INOX WT 230V/50Hz
	5W08A14IMT000	ICE MAKER WHITE INOX WT 115V/60Hz
BI29 Ice Maker	5W29A21CAN000	ICE MAKER WHITE BI29 230V/50Hz
	5W29A24CAN000	ICE MAKER WHITE BI29 115V/60Hz

